

ASCII-Unicode Diacritics Analysis Report

On behalf of the ICANN Latin Script Diacritics Policy Development Process WG (LD-WG)

This version of the report was generated at: 2026-03-25 10:29:04

This report was generated using the ASCII-Unicode Diacritics Analyzer Tool (v1.3), and can be generated by any other interested party with [the tool's Python source code in Github](#), released under 'The Unlicense', equivalent to Public Domain. This software was developed independently by a community member, with no official affiliation with or endorsement by the ICANN organization.

The tool implements Unicode normalization (NFD) to analyze Latin script code points from ICANN's [Label Generation Rules](#) and identifies characters that canonically decompose to ASCII base characters plus combining diacritical marks (Unicode General Category M). Results are categorized by diacritic count and output to this structured PDF report with complete Unicode technical data.

For inquiries about the code, contact the maintainer:
Mark W. Datysgeld (mark@governanceprimer.com)

Characters with One Diacritic Mark (106)

Character	Base	Diacritic	Technical Details
à U+00E0	a	`	a (LATIN SMALL LETTER A, U+0061) + ` (COMBINING GRAVE ACCENT, U+0300)
á U+00E1	a	´	a (LATIN SMALL LETTER A, U+0061) + ´ (COMBINING ACUTE ACCENT, U+0301)
â U+00E2	a	^	a (LATIN SMALL LETTER A, U+0061) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ã U+00E3	a	~	a (LATIN SMALL LETTER A, U+0061) + ~ (COMBINING TILDE, U+0303)
ä U+00E4	a	¨	a (LATIN SMALL LETTER A, U+0061) + ¨ (COMBINING DIAERESIS, U+0308)
å U+00E5	a	°	a (LATIN SMALL LETTER A, U+0061) + ° (COMBINING RING ABOVE, U+030A)
ç U+00E7	c	¸	c (LATIN SMALL LETTER C, U+0063) + ¸ (COMBINING CEDILLA, U+0327)

è U+00E8	e	`	e (LATIN SMALL LETTER E, U+0065) + ` (COMBINING GRAVE ACCENT, U+0300)
é U+00E9	e	'	e (LATIN SMALL LETTER E, U+0065) + ' (COMBINING ACUTE ACCENT, U+0301)
ê U+00EA	e	^	e (LATIN SMALL LETTER E, U+0065) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ë U+00EB	e	¨	e (LATIN SMALL LETTER E, U+0065) + ¨ (COMBINING DIAERESIS, U+0308)
ì U+00EC	i	`	i (LATIN SMALL LETTER I, U+0069) + ` (COMBINING GRAVE ACCENT, U+0300)
í U+00ED	i	'	i (LATIN SMALL LETTER I, U+0069) + ' (COMBINING ACUTE ACCENT, U+0301)
î U+00EE	i	^	i (LATIN SMALL LETTER I, U+0069) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ï U+00EF	i	¨	i (LATIN SMALL LETTER I, U+0069) + ¨ (COMBINING DIAERESIS, U+0308)
ñ U+00F1	n	~	n (LATIN SMALL LETTER N, U+006E) + ~ (COMBINING TILDE, U+0303)
ò U+00F2	o	`	o (LATIN SMALL LETTER O, U+006F) + ` (COMBINING GRAVE ACCENT, U+0300)
ó U+00F3	o	'	o (LATIN SMALL LETTER O, U+006F) + ' (COMBINING ACUTE ACCENT, U+0301)
ô U+00F4	o	^	o (LATIN SMALL LETTER O, U+006F) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
õ U+00F5	o	~	o (LATIN SMALL LETTER O, U+006F) + ~ (COMBINING TILDE, U+0303)
ö U+00F6	o	¨	o (LATIN SMALL LETTER O, U+006F) + ¨ (COMBINING DIAERESIS, U+0308)
ù U+00F9	u	`	u (LATIN SMALL LETTER U, U+0075) + ` (COMBINING GRAVE ACCENT, U+0300)
ú U+00FA	u	'	u (LATIN SMALL LETTER U, U+0075) + ' (COMBINING ACUTE ACCENT, U+0301)
û U+00FB	u	^	u (LATIN SMALL LETTER U, U+0075) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ü U+00FC	u	¨	u (LATIN SMALL LETTER U, U+0075) + ¨ (COMBINING DIAERESIS, U+0308)

ý U+00FD	y	´	y (LATIN SMALL LETTER Y, U+0079) + ´ (COMBINING ACUTE ACCENT, U+0301)
ÿ U+00FF	y	¨	y (LATIN SMALL LETTER Y, U+0079) + ¨ (COMBINING DIAERESIS, U+0308)
ā U+0101	a	-	a (LATIN SMALL LETTER A, U+0061) + ¯ (COMBINING MACRON, U+0304)
ǎ U+0103	a	˘	a (LATIN SMALL LETTER A, U+0061) + ˘ (COMBINING BREVE, U+0306)
ą U+0105	a	˙	a (LATIN SMALL LETTER A, U+0061) + ˙ (COMBINING OGONEK, U+0328)
ć U+0107	c	´	c (LATIN SMALL LETTER C, U+0063) + ´ (COMBINING ACUTE ACCENT, U+0301)
ĉ U+0109	c	^	c (LATIN SMALL LETTER C, U+0063) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ċ U+010B	c	·	c (LATIN SMALL LETTER C, U+0063) + · (COMBINING DOT ABOVE, U+0307)
č U+010D	c	ˇ	c (LATIN SMALL LETTER C, U+0063) + ˇ (COMBINING CARON, U+030C)
ď U+010F	d	ˇ	d (LATIN SMALL LETTER D, U+0064) + ˇ (COMBINING CARON, U+030C)
ē U+0113	e	-	e (LATIN SMALL LETTER E, U+0065) + ¯ (COMBINING MACRON, U+0304)
è U+0117	e	·	e (LATIN SMALL LETTER E, U+0065) + · (COMBINING DOT ABOVE, U+0307)
ę U+0119	e	˙	e (LATIN SMALL LETTER E, U+0065) + ˙ (COMBINING OGONEK, U+0328)
ě U+011B	e	ˇ	e (LATIN SMALL LETTER E, U+0065) + ˇ (COMBINING CARON, U+030C)
ĝ U+011D	g	^	g (LATIN SMALL LETTER G, U+0067) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ǧ U+011F	g	˘	g (LATIN SMALL LETTER G, U+0067) + ˘ (COMBINING BREVE, U+0306)
ġ U+0121	g	·	g (LATIN SMALL LETTER G, U+0067) + · (COMBINING DOT ABOVE, U+0307)
ǵ U+0123	g	¸	g (LATIN SMALL LETTER G, U+0067) + ¸ (COMBINING CEDILLA, U+0327)

ĥ U+0125	h	^	h (LATIN SMALL LETTER H, U+0068) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ĩ U+0129	i	~	i (LATIN SMALL LETTER I, U+0069) + ~ (COMBINING TILDE, U+0303)
ī U+012B	i	-	i (LATIN SMALL LETTER I, U+0069) + - (COMBINING MACRON, U+0304)
į U+012F	i	˙	i (LATIN SMALL LETTER I, U+0069) + ˙ (COMBINING OGONEK, U+0328)
ĵ U+0135	j	^	j (LATIN SMALL LETTER J, U+006A) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ķ U+0137	k	̣	k (LATIN SMALL LETTER K, U+006B) + ̣ (COMBINING CEDILLA, U+0327)
ĺ U+013A	l	´	l (LATIN SMALL LETTER L, U+006C) + ´ (COMBINING ACUTE ACCENT, U+0301)
ļ U+013C	l	̣	l (LATIN SMALL LETTER L, U+006C) + ̣ (COMBINING CEDILLA, U+0327)
ľ U+013E	l	ˇ	l (LATIN SMALL LETTER L, U+006C) + ˇ (COMBINING CARON, U+030C)
ń U+0144	n	´	n (LATIN SMALL LETTER N, U+006E) + ´ (COMBINING ACUTE ACCENT, U+0301)
ņ U+0146	n	̣	n (LATIN SMALL LETTER N, U+006E) + ̣ (COMBINING CEDILLA, U+0327)
ň U+0148	n	ˇ	n (LATIN SMALL LETTER N, U+006E) + ˇ (COMBINING CARON, U+030C)
ō U+014D	o	-	o (LATIN SMALL LETTER O, U+006F) + - (COMBINING MACRON, U+0304)
ö U+0151	o	¨	o (LATIN SMALL LETTER O, U+006F) + ¨ (COMBINING DOUBLE ACUTE ACCENT, U+030B)
rí U+0155	r	´	r (LATIN SMALL LETTER R, U+0072) + ´ (COMBINING ACUTE ACCENT, U+0301)
ř U+0159	r	ˇ	r (LATIN SMALL LETTER R, U+0072) + ˇ (COMBINING CARON, U+030C)
ś U+015B	s	´	s (LATIN SMALL LETTER S, U+0073) + ´ (COMBINING ACUTE ACCENT, U+0301)
ŝ U+015D	s	^	s (LATIN SMALL LETTER S, U+0073) + ^ (COMBINING CIRCUMFLEX ACCENT, U+0302)

š U+015F	s	̣	s (LATIN SMALL LETTER S, U+0073) + ̣ (COMBINING CEDILLA, U+0327)
š U+0161	s	ˇ	s (LATIN SMALL LETTER S, U+0073) + ˇ (COMBINING CARON, U+030C)
ť U+0165	t	ˇ	t (LATIN SMALL LETTER T, U+0074) + ˇ (COMBINING CARON, U+030C)
ũ U+0169	u	˜	u (LATIN SMALL LETTER U, U+0075) + ˜ (COMBINING TILDE, U+0303)
ū U+016B	u	ˉ	u (LATIN SMALL LETTER U, U+0075) + ˉ (COMBINING MACRON, U+0304)
ů U+016D	u	̆	u (LATIN SMALL LETTER U, U+0075) + ̆ (COMBINING BREVE, U+0306)
ů U+016F	u	◌̊	u (LATIN SMALL LETTER U, U+0075) + ◌̊ (COMBINING RING ABOVE, U+030A)
ű U+0171	u	˝	u (LATIN SMALL LETTER U, U+0075) + ˝ (COMBINING DOUBLE ACUTE ACCENT, U+030B)
ų U+0173	u	̧	u (LATIN SMALL LETTER U, U+0075) + ̧ (COMBINING OGONEK, U+0328)
ŵ U+0175	w	ˆ	w (LATIN SMALL LETTER W, U+0077) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ŷ U+0177	y	ˆ	y (LATIN SMALL LETTER Y, U+0079) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ź U+017A	z	´	z (LATIN SMALL LETTER Z, U+007A) + ´ (COMBINING ACUTE ACCENT, U+0301)
ż U+017C	z	˙	z (LATIN SMALL LETTER Z, U+007A) + ˙ (COMBINING DOT ABOVE, U+0307)
ž U+017E	z	ˇ	z (LATIN SMALL LETTER Z, U+007A) + ˇ (COMBINING CARON, U+030C)
ó U+01A1	o	´	o (LATIN SMALL LETTER O, U+006F) + ´ (COMBINING HORN, U+031B)
ú U+01B0	u	´	u (LATIN SMALL LETTER U, U+0075) + ´ (COMBINING HORN, U+031B)
ǧ U+01E7	g	ˇ	g (LATIN SMALL LETTER G, U+0067) + ˇ (COMBINING CARON, U+030C)
ķ U+01E9	k	ˇ	k (LATIN SMALL LETTER K, U+006B) + ˇ (COMBINING CARON, U+030C)

ş U+0219	s	,	s (LATIN SMALL LETTER S, U+0073) + , (COMBINING COMMA BELOW, U+0326)
ţ U+021B	t	,	t (LATIN SMALL LETTER T, U+0074) + , (COMBINING COMMA BELOW, U+0326)
đ U+1E13	d	^	d (LATIN SMALL LETTER D, U+0064) + ^ (COMBINING CIRCUMFLEX ACCENT BELOW, U+032D)
ḡ U+1E21	g	-	g (LATIN SMALL LETTER G, U+0067) + - (COMBINING MACRON, U+0304)
ł U+1E3D	l	^	l (LATIN SMALL LETTER L, U+006C) + ^ (COMBINING CIRCUMFLEX ACCENT BELOW, U+032D)
ñ U+1E45	n	·	n (LATIN SMALL LETTER N, U+006E) + · (COMBINING DOT ABOVE, U+0307)
ṅ U+1E49	n	-	n (LATIN SMALL LETTER N, U+006E) + - (COMBINING MACRON BELOW, U+0331)
ṇ̇ U+1E4B	n	^	n (LATIN SMALL LETTER N, U+006E) + ^ (COMBINING CIRCUMFLEX ACCENT BELOW, U+032D)
ș U+1E63	s	.	s (LATIN SMALL LETTER S, U+0073) + . (COMBINING DOT BELOW, U+0323)
ț U+1E6D	t	.	t (LATIN SMALL LETTER T, U+0074) + . (COMBINING DOT BELOW, U+0323)
ț̣ U+1E71	t	^	t (LATIN SMALL LETTER T, U+0074) + ^ (COMBINING CIRCUMFLEX ACCENT BELOW, U+032D)
ẓ U+1E8D	x	¨	x (LATIN SMALL LETTER X, U+0078) + ¨ (COMBINING DIAERESIS, U+0308)
ạ U+1EA1	a	.	a (LATIN SMALL LETTER A, U+0061) + . (COMBINING DOT BELOW, U+0323)
ả U+1EA3	a	ʻ	a (LATIN SMALL LETTER A, U+0061) + ʻ (COMBINING HOOK ABOVE, U+0309)
ẹ U+1EB9	e	.	e (LATIN SMALL LETTER E, U+0065) + . (COMBINING DOT BELOW, U+0323)
ẻ U+1EBB	e	ʻ	e (LATIN SMALL LETTER E, U+0065) + ʻ (COMBINING HOOK ABOVE, U+0309)
ẽ U+1EBD	e	~	e (LATIN SMALL LETTER E, U+0065) + ~ (COMBINING TILDE, U+0303)
ỉ U+1EC9	i	ʻ	i (LATIN SMALL LETTER I, U+0069) + ʻ (COMBINING HOOK ABOVE, U+0309)

ï U+1ECB	i	.	i (LATIN SMALL LETTER I, U+0069) + . (COMBINING DOT BELOW, U+0323)
ȯ U+1ECD	o	.	o (LATIN SMALL LETTER O, U+006F) + . (COMBINING DOT BELOW, U+0323)
ŏ U+1ECF	o	ʹ	o (LATIN SMALL LETTER O, U+006F) + ʹ (COMBINING HOOK ABOVE, U+0309)
u̇ U+1EE5	u	.	u (LATIN SMALL LETTER U, U+0075) + . (COMBINING DOT BELOW, U+0323)
ŭ U+1EE7	u	ʹ	u (LATIN SMALL LETTER U, U+0075) + ʹ (COMBINING HOOK ABOVE, U+0309)
ÿ U+1EF3	y	`	y (LATIN SMALL LETTER Y, U+0079) + ` (COMBINING GRAVE ACCENT, U+0300)
ÿ̇ U+1EF5	y	.	y (LATIN SMALL LETTER Y, U+0079) + . (COMBINING DOT BELOW, U+0323)
ÿ̆ U+1EF7	y	ʹ	y (LATIN SMALL LETTER Y, U+0079) + ʹ (COMBINING HOOK ABOVE, U+0309)
ÿ̃ U+1EF9	y	~	y (LATIN SMALL LETTER Y, U+0079) + ~ (COMBINING TILDE, U+0303)

Characters with Two Diacritic Marks (30)

Character	Base	Diacritics	Technical Details
ã U+1EA5	a	ˆ	a (LATIN SMALL LETTER A, U+0061) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ´ (COMBINING ACUTE ACCENT, U+0301)
à U+1EA7	a	˘ˆ	a (LATIN SMALL LETTER A, U+0061) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ` (COMBINING GRAVE ACCENT, U+0300)
â U+1EA9	a	ˆʹ	a (LATIN SMALL LETTER A, U+0061) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ʹ (COMBINING HOOK ABOVE, U+0309)
ã U+1EAB	a	ˆ~	a (LATIN SMALL LETTER A, U+0061) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ~ (COMBINING TILDE, U+0303)
â̇ U+1EAD	a	ˆ. .	a (LATIN SMALL LETTER A, U+0061) + . (COMBINING DOT BELOW, U+0323) + ˆ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ã U+1EAF	a	˘~	a (LATIN SMALL LETTER A, U+0061) + ~ (COMBINING BREVE, U+0306) + ´ (COMBINING ACUTE ACCENT, U+0301)

ă U+1EB1	a	˘	a (LATIN SMALL LETTER A, U+0061) + ˘ (COMBINING BREVE, U+0306) + ` (COMBINING GRAVE ACCENT, U+0300)
ǎ U+1EB3	a	̂	a (LATIN SMALL LETTER A, U+0061) + ˘ (COMBINING BREVE, U+0306) + ˆ (COMBINING HOOK ABOVE, U+0309)
ã U+1EB5	a	˜	a (LATIN SMALL LETTER A, U+0061) + ˘ (COMBINING BREVE, U+0306) + ˜ (COMBINING TILDE, U+0303)
ȃ U+1EB7	a	˙	a (LATIN SMALL LETTER A, U+0061) + ˙ (COMBINING DOT BELOW, U+0323) + ˘ (COMBINING BREVE, U+0306)
ě U+1EBF	e	ˇ	e (LATIN SMALL LETTER E, U+0065) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ˆ (COMBINING ACUTE ACCENT, U+0301)
è U+1EC1	e	˘	e (LATIN SMALL LETTER E, U+0065) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ` (COMBINING GRAVE ACCENT, U+0300)
ě̂ U+1EC3	e	̂	e (LATIN SMALL LETTER E, U+0065) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ˆ (COMBINING HOOK ABOVE, U+0309)
ẽ U+1EC5	e	˜	e (LATIN SMALL LETTER E, U+0065) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ˜ (COMBINING TILDE, U+0303)
ê U+1EC7	e	˙	e (LATIN SMALL LETTER E, U+0065) + ˙ (COMBINING DOT BELOW, U+0323) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ó U+1ED1	o	ˇ	o (LATIN SMALL LETTER O, U+006F) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ˆ (COMBINING ACUTE ACCENT, U+0301)
ò U+1ED3	o	˘	o (LATIN SMALL LETTER O, U+006F) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ` (COMBINING GRAVE ACCENT, U+0300)
ó̂ U+1ED5	o	̂	o (LATIN SMALL LETTER O, U+006F) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ˆ (COMBINING HOOK ABOVE, U+0309)
õ U+1ED7	o	˜	o (LATIN SMALL LETTER O, U+006F) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302) + ˜ (COMBINING TILDE, U+0303)
ô U+1ED9	o	˙	o (LATIN SMALL LETTER O, U+006F) + ˙ (COMBINING DOT BELOW, U+0323) + ˇ (COMBINING CIRCUMFLEX ACCENT, U+0302)
ớ U+1EDB	o	̂	o (LATIN SMALL LETTER O, U+006F) + ˆ (COMBINING HORN, U+031B) + ˆ (COMBINING ACUTE ACCENT, U+0301)
ờ U+1EDD	o	˘	o (LATIN SMALL LETTER O, U+006F) + ˆ (COMBINING HORN, U+031B) + ` (COMBINING GRAVE ACCENT, U+0300)
ở U+1EDF	o	̂	o (LATIN SMALL LETTER O, U+006F) + ˆ (COMBINING HORN, U+031B) + ˆ (COMBINING HOOK ABOVE, U+0309)
ỡ U+1EE1	o	˜	o (LATIN SMALL LETTER O, U+006F) + ˆ (COMBINING HORN, U+031B) + ˜ (COMBINING TILDE, U+0303)

ø U+1EE3	o	◌ ◌̇	o (LATIN SMALL LETTER O, U+006F) + ◌́ (COMBINING HORN, U+031B) + ◌̇ (COMBINING DOT BELOW, U+0323)
ú U+1EE9	u	◌̂	u (LATIN SMALL LETTER U, U+0075) + ◌́ (COMBINING HORN, U+031B) + ◌̂ (COMBINING ACUTE ACCENT, U+0301)
ù U+1EEB	u	◌̃	u (LATIN SMALL LETTER U, U+0075) + ◌́ (COMBINING HORN, U+031B) + ◌̃ (COMBINING GRAVE ACCENT, U+0300)
ǔ U+1EED	u	◌̂̃	u (LATIN SMALL LETTER U, U+0075) + ◌́ (COMBINING HORN, U+031B) + ◌̂̃ (COMBINING HOOK ABOVE, U+0309)
ũ U+1EEF	u	◌̃	u (LATIN SMALL LETTER U, U+0075) + ◌́ (COMBINING HORN, U+031B) + ◌̃ (COMBINING TILDE, U+0303)
ұ U+1EF1	u	◌̇	u (LATIN SMALL LETTER U, U+0075) + ◌́ (COMBINING HORN, U+031B) + ◌̇ (COMBINING DOT BELOW, U+0323)

Other occurrences in the Latin RZ LGR (14)

Character	Base	Diacritic	Technical Details
ā U+0061 U+0331	a	◌̄	a (LATIN SMALL LETTER A, U+0061) + ◌̄ (COMBINING MACRON BELOW, U+0331)
ē U+0065 U+0331	e	◌̄	e (LATIN SMALL LETTER E, U+0065) + ◌̄ (COMBINING MACRON BELOW, U+0331)
ģ U+0067 U+0303	g	◌̃	g (LATIN SMALL LETTER G, U+0067) + ◌̃ (COMBINING TILDE, U+0303)
ī U+0069 U+0331	i	◌̄	i (LATIN SMALL LETTER I, U+0069) + ◌̄ (COMBINING MACRON BELOW, U+0331)
₢ U+006D U+0327	m	◌̣	m (LATIN SMALL LETTER M, U+006D) + ◌̣ (COMBINING CEDILLA, U+0327)
ñ U+006E U+0304	n	◌̄	n (LATIN SMALL LETTER N, U+006E) + ◌̄ (COMBINING MACRON, U+0304)
ñ U+006E U+0308	n	◌̈	n (LATIN SMALL LETTER N, U+006E) + ◌̈ (COMBINING DIAERESIS, U+0308)
₣ U+006F U+0327	o	◌̣	o (LATIN SMALL LETTER O, U+006F) + ◌̣ (COMBINING CEDILLA, U+0327)
ō U+006F U+0331	o	◌̄	o (LATIN SMALL LETTER O, U+006F) + ◌̄ (COMBINING MACRON BELOW, U+0331)

ř U+0072 U+0303	r	~	r (LATIN SMALL LETTER R, U+0072) + ~ (COMBINING TILDE, U+0303)
è U+1EB9 U+0300	e	·	è (LATIN SMALL LETTER E WITH DOT BELOW, U+1EB9) + · (COMBINING GRAVE ACCENT, U+0300)
é U+1EB9 U+0301	e	´	é (LATIN SMALL LETTER E WITH DOT BELOW, U+1EB9) + ´ (COMBINING ACUTE ACCENT, U+0301)
ò U+1ECD U+0300	o	·	ò (LATIN SMALL LETTER O WITH DOT BELOW, U+1ECD) + · (COMBINING GRAVE ACCENT, U+0300)
ó U+1ECD U+0301	o	´	ó (LATIN SMALL LETTER O WITH DOT BELOW, U+1ECD) + ´ (COMBINING ACUTE ACCENT, U+0301)

Thesis Section: LATIN SMALL LETTER ... WITH ... (20)

Additional Latin repertoire characters whose Unicode name matches the pattern 'LATIN SMALL LETTER ... WITH ...', excluding those already covered by the default decomposable theory.

Character	Code point	Name	Technical Details
ø	U+00F8	LATIN SMALL LETTER O WITH STROKE	ø (LATIN SMALL LETTER O WITH STROKE, U+00F8)
đ	U+0111	LATIN SMALL LETTER D WITH STROKE	đ (LATIN SMALL LETTER D WITH STROKE, U+0111)
ħ	U+0127	LATIN SMALL LETTER H WITH STROKE	ħ (LATIN SMALL LETTER H WITH STROKE, U+0127)
ł	U+0142	LATIN SMALL LETTER L WITH STROKE	ł (LATIN SMALL LETTER L WITH STROKE, U+0142)
ț	U+0167	LATIN SMALL LETTER T WITH STROKE	ț (LATIN SMALL LETTER T WITH STROKE, U+0167)
č	U+0188	LATIN SMALL LETTER C WITH HOOK	č (LATIN SMALL LETTER C WITH HOOK, U+0188)
ƒ	U+0192	LATIN SMALL LETTER F WITH HOOK	ƒ (LATIN SMALL LETTER F WITH HOOK, U+0192)
ķ	U+0199	LATIN SMALL LETTER K WITH HOOK	ķ (LATIN SMALL LETTER K WITH HOOK, U+0199)
þ	U+01A5	LATIN SMALL LETTER P WITH HOOK	þ (LATIN SMALL LETTER P WITH HOOK, U+01A5)
ƒ	U+01AD	LATIN SMALL LETTER T WITH HOOK	ƒ (LATIN SMALL LETTER T WITH HOOK, U+01AD)
Ƴ	U+01B4	LATIN SMALL LETTER Y WITH HOOK	Ƴ (LATIN SMALL LETTER Y WITH HOOK, U+01B4)
ž	U+01EF	LATIN SMALL LETTER EZH WITH CARON	ž (LATIN SMALL LETTER EZH, U+0292) + ˇ (COMBINING CARON, U+030C)
ƚ	U+024D	LATIN SMALL LETTER R WITH STROKE	ƚ (LATIN SMALL LETTER R WITH STROKE, U+024D)
ƚ	U+0253	LATIN SMALL LETTER B WITH HOOK	ƚ (LATIN SMALL LETTER B WITH HOOK, U+0253)
ɖ	U+0256	LATIN SMALL LETTER D WITH TAIL	ɖ (LATIN SMALL LETTER D WITH TAIL, U+0256)
ɖ	U+0257	LATIN SMALL LETTER D WITH HOOK	ɖ (LATIN SMALL LETTER D WITH HOOK, U+0257)

ǵ	U+0260	LATIN SMALL LETTER G WITH HOOK	ǵ (LATIN SMALL LETTER G WITH HOOK, U+0260)
ı̇	U+0268	LATIN SMALL LETTER I WITH STROKE	ı̇ (LATIN SMALL LETTER I WITH STROKE, U+0268)
ɲ	U+0272	LATIN SMALL LETTER N WITH LEFT HOOK	ɲ (LATIN SMALL LETTER N WITH LEFT HOOK, U+0272)
ɹ	U+028B	LATIN SMALL LETTER V WITH HOOK	ɹ (LATIN SMALL LETTER V WITH HOOK, U+028B)

Coverage Summary — Latin repertoire single code points: 197; in-scope (ASCII base + combining): 136; out-of-scope (indexed below): 35; sequences in LGR: 24; sequences shown (ASCII base): 14. Thesis sections enabled — -thesis-small: 20.

Appendix: Latin repertoire not canonically decomposable to ASCII base (+ combining) (35)

Glyph	Code point	Name
ß	U+00DF	LATIN SMALL LETTER SHARP S
æ	U+00E6	LATIN SMALL LETTER AE
ð	U+00F0	LATIN SMALL LETTER ETH
ø	U+00F8	LATIN SMALL LETTER O WITH STROKE
þ	U+00FE	LATIN SMALL LETTER THORN
đ	U+0111	LATIN SMALL LETTER D WITH STROKE
ħ	U+0127	LATIN SMALL LETTER H WITH STROKE
ı̇	U+0131	LATIN SMALL LETTER DOTLESS I
ł	U+0142	LATIN SMALL LETTER L WITH STROKE
ŋ	U+014B	LATIN SMALL LETTER ENG
œ	U+0153	LATIN SMALL LIGATURE OE
ţ	U+0167	LATIN SMALL LETTER T WITH STROKE
ç	U+0188	LATIN SMALL LETTER C WITH HOOK
ƒ	U+0192	LATIN SMALL LETTER F WITH HOOK
ƙ	U+0199	LATIN SMALL LETTER K WITH HOOK
Ɔ	U+01A5	LATIN SMALL LETTER P WITH HOOK
ƒ	U+01AD	LATIN SMALL LETTER T WITH HOOK
Ʒ	U+01B4	LATIN SMALL LETTER Y WITH HOOK
ə	U+01DD	LATIN SMALL LETTER TURNED E
ž	U+01EF	LATIN SMALL LETTER EZH WITH CARON
ř	U+024D	LATIN SMALL LETTER R WITH STROKE
ƚ	U+0253	LATIN SMALL LETTER B WITH HOOK
ɔ̣	U+0254	LATIN SMALL LETTER OPEN O

đ	U+0256	LATIN SMALL LETTER D WITH TAIL
ḏ	U+0257	LATIN SMALL LETTER D WITH HOOK
ə	U+0259	LATIN SMALL LETTER SCHWA
ɛ̃	U+025B	LATIN SMALL LETTER OPEN E
ḡ	U+0260	LATIN SMALL LETTER G WITH HOOK
Ƴ	U+0263	LATIN SMALL LETTER GAMMA
ḯ	U+0268	LATIN SMALL LETTER I WITH STROKE
ɹ	U+0269	LATIN SMALL LETTER IOTA
ɲ	U+0272	LATIN SMALL LETTER N WITH LEFT HOOK
ʉ	U+0289	LATIN SMALL LETTER U BAR
ʋ	U+028B	LATIN SMALL LETTER V WITH HOOK
Ʒ	U+0292	LATIN SMALL LETTER EZH