

New types of domains
and email addresses
break stuff.

实例.みんな

example.photography

Борис@почта.пример.рф

We are asking for
Universal Acceptance

实例.みんな

example.photography

Борис@почта.пример.рф

?

Internet Engineering Task Force (IETF)
Request for Comments: 5890

J. Klensin
August 2010

Ok
Ca Internet Engineering Task Force (IETF)
Request for Comments: 5891

J. Klensin
August 2010

Ob
Up Internet Engineering Task Force (IETF)
Request for Comments: 5892

P. Faltstrom, Ed.
Cisco

Ca
Cat Internet Engineering Task Force (IETF)
Request for Comments: 5893

H. Alvestrand, Ed.
Google

ISS
Cat Internet Engineering Task Force (IETF)
Request for Comments: 5894

J. Klensin
August 2010

Cat
ISS Independent Submission
Request for Comments: 5895

P. Resnick
Qualcomm Incorporated

Cat
ISS Internet Engineering Task Force (IETF)
Request for Comments: 6530

J. Klensin
Y. Ko

Obs
Cat Internet Engineering Task Force (IETF)
Request for Comments: 6531

J. Yao
W. Mao

Obs
Cat Internet Engineering Task Force (IETF)
Request for Comments: 6532

A. Yang
TWNIC

ISS
Obs
Upd Internet Engineering Task Force (IETF)
Request for Comments: 6533

T. Hansen, Ed.
AT&T Laboratories

Cat
ISS
Upd Internet Engineering Task Force (IETF)
Request for Comments: 6855

P. Resnick, Ed.
Qualcomm Incorporated

Obs
Cat Internet Engineering Task Force (IETF)
Request for Comments: 6856

R. Gellens
QUALCOMM Incorporated

Obs
Cat Internet Engineering Task Force (IETF)
Request for Comments: 6857

K. Fujiwara
JPRS

ISS
Cat Internet Engineering Task Force (IETF)
Request for Comments: 6858

A. Gulbrandsen
March 2013

Upd
Po Category: Standards Track
ISSN: 2070-1721

```
public static boolean isValid(String email)
{
    boolean result = true;
    try {
        InetAddress emailAddr = new InetAddress(email); emailAddr.validate();
    } catch (AddressException ex) {
        result = false;
    }
    return result;
}
```

```
public static boolean isValid(String email)
{
    boolean result = true;
    try {
        InetAddress emailAddr = new InetAddress(email); emailAddr.validate();
    } catch (AddressException ex) {
        result = false;
    }
    return result;
}
```

```
isValid("address@example.com"): true // Correct
isValid("address@example.network"): true // Correct
isValid("address@xn--5nqv22n.xn--1hr59c"): true // Correct
isValid("address@example.isnotarealtld"): true // Not really
isValid("伊昭傑@郵件.商務"): false // Definitely incorrect
```

Search

7,345 results

relevance

newest

votes

active

1102

votes

Q: Validate email address in JavaScript?

How can an **email address** be validated in JavaScript? ...

37
answers

javascript regex validation email email-validation

asked sep 5 '08 by [pix0r](#)

1538

votes

Q: Using a regular expression to validate an email address

Over the years I have slowly developed a regular expression that validates MOST **email addresses** correctly, assuming they don't use an IP **address** as the server part. Currently the expression is: I ... some adjustment (most recently I realized that I wasn't allowing 4-character TLDs). What's the best regular expression you have or have seen for validating **emails**? I've seen several solutions that use ...

64
answers

php regex email email-validation

asked oct 14 '08 by [acrosman](#)

77

votes

Q: C# code to validate email address

What is the most elegant code to validate that a string is a valid **email address**? ...

21
answers

c# email email-validation

asked sep 2 '09 by [leora](#)

Search

7,345 results

relevance

newest

votes

active

1102

votes

Q: Validate email address in JavaScript?

How can an **email address** be validated in JavaScript? ...

37
answers

javascript regex validation email email-validation

asked sep 5 '08 by [pix0r](#)

1538

votes

Q: Using a regular expression to validate an email address

Over the years I have slowly developed a regular expression that validates MOST **email addresses** correctly, assuming they don't use an **IP address** as the server part. Currently the expression is: I ... some adjustment (most recently I realized that I wasn't allowing 4-character TLDs). What's the best regular expression you have or have seen for validating **emails**? I've seen several solutions that use ...

64
answers

php regex email email-validation

asked oct 14 '08 by [acrosman](#)

77

votes

Q: C# code to validate email address

What is the most elegant code to validate that a string is a valid **email address**? ...

21
answers

c# email email-validation

asked sep 2 '09 by [leora](#)

1

2

3

4

5

...

490

next

15

30

50

per page



What's the problem again?

Universal Acceptance

Universal Acceptance **Repository**

English explanations

Code samples

Case studies

In progress at

ua.thedna.org